

# Thunderbird

Configuration on Ubuntu

Open Thunderbird... Edit... Account Settings...

The screenshot shows the 'Account Settings' window for the account 'tenelson@anl.gov'. The window is divided into a left sidebar and a main content area. The sidebar lists various settings categories, with 'Server Settings' selected. The main content area is titled 'Account Settings - <tenelson@anl.gov>' and contains the following fields and options:

- Account Name:** tenelson@anl.gov
- Default Identity:** Each account has an identity, which is the information that other people see when they read your messages.
- Your Name:** Tim Nelson
- Email Address:** tenelson@anl.gov
- Reply-to Address:** Recipients will reply to this other address
- Organization:** (empty field)
- Signature text:**  Use HTML (e.g., <b>bold</b>)
- Attach the signature from a file instead (text, HTML, or image):**  (with a 'Choose...' button)
- Attach my vCard to messages:**  (with an 'Edit Card...' button)
- Outgoing Server (SMTP):** anl\nelson - smtp.anl.gov (Default)
- Buttons:** 'Manage Identities...', 'Cancel', and 'OK'.

Account Settings

- **tenelson@anl.gov**
  - Server Settings
  - Copies & Folders
  - Composition & Addressing
  - Junk Settings
  - Synchronization & Storage
  - Return Receipts
  - Security
- Local Folders
  - Junk Settings
  - Disk Space
  - Outgoing Server (SMTP)

Account Actions ▾

### Server Settings

Server Type: IMAP Mail Server  
Server Name:  Port:  Default: 993  
User Name:

### Security Settings

Connection security:   
Authentication method:

### Server Settings

- Check for new messages at startup
- Check for new messages every  minutes
- When I delete a message:
  - Move it to this folder:
  - Just mark it as deleted
  - Remove it immediately

### Message Storage

- Clean up ("Expunge") Inbox on Exit
- Empty Trash on Exit

Local directory:

Account Settings

- **tenelson@anl.gov**
  - Server Settings
  - Copies & Folders
  - Composition & Addressing
  - Junk Settings
  - Synchronization & Storage
  - Return Receipts
  - Security
- Local Folders
  - Junk Settings
  - Disk Space

Outgoing Server (SMTP)

**Outgoing Server (SMTP) Settings**

When managing your identities you can use a server from this list by selecting it as the Outgoing Server (SMTP), or you can use the default server from this list by selecting "Use Default Server".

anl\nelson - smtp.anl.gov (Default)

Add...

Edit...

Remove

Set Default

Description: <not specified>  
Server Name: smtp.anl.gov  
Port: 587  
User Name: anl\nelson  
Authentication method: Normal password  
Connection Security: STARTTLS

Account Actions

Cancel

OK