Changing Your Thunderbird Connection from Zimbra to Exchange

Updated: 6/11/13

Following this configuration document will cause your Thunderbird client to resynchronize its folder list and all messages with your new Exchange mailbox. Large mailboxes may notice a delay before all folders and messages appear.

Please note that most settings such as message rules, mailbox permissions, and other customizations do not migrate between Zimbra and Exchange and may have to be recreated once you connect to your new mailbox. It is advised that you record any settings that you would like to retain before proceeding so they can be replicated.

Locally stored filters, rules and settings should remain in place, however any rules, permissions, filters or other settings stored on the Zimbra server will need to be recreated manually on the Exchange mailbox.

If you have any message rules or filters configured within Thunderbird, you may want to export them before you begin in case you discover they need to be reimported after you set up your new mailbox. Instructions for exporting and importing your Thunderbird message rules can be found in the Email Services Howto section, or by referencing the following link.

https://wiki.inside.anl.gov/wiki_inside/images/a/a2/Exporting_and_Importing_Me ssage_Rules_in_Thunderbird.pdf

1. Start up "Thunderbird".



2. Click on "Tools" Choose "Account Settings".

🗯 Thunderbird File E	dit View Go Message Events and Tasks	Tools Window Help			
 O O Inbox ★ Get Mail ▼	Chat 💄 Address Book 🛛 🗞 Tag 👻 🔍 Quick Filt	Saved Files %J Add-ons Statest Pilot Activity Manager Chat status	•		Events () ×
 Local Folders Trash Outbox migtest01@ziocal.anl.gov 		Join Chat Message Filters Run Filters on Folder	5	ssages < ①第K>	Jun 2013, CW 24
Sent	 Zimbra Maintenance, Saturday, May 25, 9am-2p % testing email test test new account setup 	Run Filters on Message Run Junk Mail Controls on Folder Delete Mail Marked as Junk in Folder		 5/25/13 6:59 PM 6/6/13 2:00 PM 9:40 AM 9:20 AM 	 Today Tomorrow Soon
		Import Error Console 쇼핑 Clear Recent History Account Settings			

3. *Click* on your **"email account name"** on the left, if it is not already selected.

Local Folders	Account Name: migtest01@zimbra	.local.anl.gov
Disk Space	Default Identity	
 migtest01@zimbra.local.anl.gov Server Settings Copies & Folders 	Each account has an identity, which they read your messages.	h is the information that other people see when
Composition & Addressing	Your Name: migtest01@z	imbra.local.anl.gov
Junk Settings Synchronization & Storage	Email Address: migtest01@z	imbra.local.anl.gov
Return Receipts Security	Reply-to Address: Recipients wi	II reply to this other address
Outgoing Server (SMTP)	Organization:	
	Signature text: Use HTML	(e.g., bold)
	Attach the signature from a file	: instead (text, HTML, or image):
		Choose
	Attach my vCard to messages	Edit Card
	Outgoing Server (SMTP): migtes	t01@zimbra.local.anl.gov - zimbra.anl.gov (+
		Manage Identities
Account Actions 🔻		
		Cancel OK

4. *Edit* **"Your Account Name"** by *Clicking* on it. Change your account name to your @anl.gov address. Child domain addresses such as @zimbra.anl.gov, @aps.anl.gov, and @mcs.anl.gov should be changed.

 Local Folders Junk Settings 	Account Name: migt	test01@anl.gov		
Disk Space	Default Identity			
 migtest01@zimbra.local.anl.gov Server Settings Copies & Folders 	Each account has ar they read your mess	n identity, which is the information that other peo sages.	ople see when	
Composition & Addressing	Your Name:	migtest01@zimbra.local.anl.gov		
Synchronization & Storage	Email Address:	migtest01@zimbra.local.anl.gov		
Return Receipts Security	Reply-to Address:	Recipients will reply to this other address		
Outgoing Server (SMTP)	Organization:			
	Signature text:	□ Use HTML (e.g., bold)		
	Attach the signat	ture from a file instead (text, HTML, or image):	Choose	
	Attach my vCard	to messages	Edit Card	
	Outgoing Server (SM	MTP): migtest01@zimbra.local.anl.gov - zimbra	a.anl.gov (🗧	
		Ма	nage Identities	
Account Actions 🔹)			
		Cancel	ОК	

5. *Edit* **"Email Address".** Change your email address to your @anl.gov address. Child domain addresses such as @zimbra.anl.gov, @aps.anl.gov, and @mcs.anl.gov should be changed.

Local Folders Junk Settings	Account Name: migtest01@anl.gov		
Disk Space	Default Identity		
migtest01@zimbra.local.anl.gov Server Settings Copies & Folders	Each account has an identity, which is they read your messages.	the information that other people see when	
Composition & Addressing	Your Name: migtest01@anl.g	ov	
Junk Settings Synchronization & Storage	Email Address: migtest01@zimb	migtest01@zimbra.local.anl.gov Recipients will reply to this other address	
Return Receipts Security	Reply-to Address: Recipients will re		
Outgoing Server (SMTP)	Organization:		
	Signature text: 🗌 Use HTML (e.g.	., bold)	
	Attach the signature from a file inst	tead (text, HTML, or image):	
	Attach my vCard to messages	Edit Card	
	Outgoing Server (SMTP): migtest01(@zimbra.local.anl.gov - zimbra.anl.gov (🕴	
		Manage Identities	
Account Actions 🔹			

6. *Click* on **"Server Settings"** on the left.

 Local Folders Junk Settings Disk Space migtest01@zimbra.local.anl.gov 	Server Type: IMAP Mail Server Server Name: zimbra.anl.gov Port: 993 Port: 993
Server Settings Copies & Folders Composition & Addressing Junk Settings Synchronization & Storage Return Receipts Security	Security Settings Connection security: SSL/TLS + Authentication method: Normal password + Server Settings
Outgoing Server (SMTP)	 Check for new messages at startup Check for new messages every 10 minutes When I delete a message: Move it to this folder: Trash Just mark it as deleted Remove it immediately
	Message Storage Clean up ("Expunge") Inbox on Exit Empty Trash on Exit Local directory: /Users/pfelonk/Library/Thunderbird/Profiles/te5wtpk9.default/Im
Account Actions v	Cancel OK

Edit "Server Name" by clicking in the box. *Change* "zimbra.anl.gov" to "mail.anl.gov"

Ψ.	Local Folders	Server Type: IMAP Mail Server
	Junk Settings	Server Name: mail.anl.gov Port: 993 🗘 Default: 993
v	migtest01@zimbra.local.anl.gov	User Name: migtest01@zimbra.local.anl
	Server Settings Copies & Folders	Security Settings
	Composition & Addressing Junk Settings	Connection security: SSL/TLS ‡
	Synchronization & Storage	Authentication method: Normal password +
	Security	Server Settings
	Outgoing Server (SMTP)	Check for new messages at startup
		Check for new messages every 10 🗘 minutes
		When I delete a message:
		Move it to this folder: Trash +
		Just mark it as deleted Remove it immediately
		Message Storage
		Clean up ("Expunge") Inbox on Exit
		Empty Trash on Exit Advanced
		Local directory:
		/Users/pfelonk/Library/Thunderbird/Profiles/te5wtpk9.default/Im Browse
	Account Actions 🔻	
		Cancel

8. In the **"User Name"** field enter your ANL Domain username (i.e. The account information you use to access the Inside Argonne Portal). This may be different than the current login information you have configured. Enter the account information in the format "user@anl.gov"

Local Folders	Server Type: IMAP Mail Server		
Disk Space	Server Name: mail.anl.gov Port: 993 🗘 Default: 993		
 migtest01@zimbra.local.anl.gov Server Settings 	User Name: migtest01@anl.gov		
Copies & Folders Composition & Addressing Junk Settings Synchronization & Storage Return Receipts Security Outgoing Server (SMTP)	Security Settings Connection security: SSL/TLS ‡ Authentication method: Normal password ‡ Server Settings Check for new messages at startup Check for new messages every 10 \$ minutes When I delete a message: Move it to this folder: Trash \$ Just mark it as deleted Remove it immediately		
	Message Storage		
	Clean up ("Expunge") Inbox on Exit		
	Empty Trash on Exit Advanced		
	Local directory:		
	/Users/pfelonk/Library/Thunderbird/Profiles/te5wtpk9.default/Im Browse		
Account Actions 🔻			
	Cancel OK		

9. *Click* on **"Outgoing Server (SMTP)"** on the left. *Highlight* the outgoing server in the list and *Click* **"Edit"**

•	Local Folders Junk Settings Disk Space	When managing your identities you can use a server from this list by se Outgoing Server (SMTP), or you can use the default server from this list Default Server".	electing it as the by selecting "Use
▼	migtest01@zimbra.local.anl.gov	migtest01@zimbra.local.anl.gov - zimbra.anl.gov (Default)	Add
	Server Settings		
	Copies & Folders		Edit
	Composition & Addressing		Remove
	Junk Settings		
	Synchronization & Storage		Set Default
	Return Receipts		
	Security	Description: <not specified=""></not>	
	Outgoing Server (SMTP)	Server Name: zimbra.anl.gov	
		Port: 465	
		User Name: migtest01@zimbra.local.anl.gov	
		Authentication method: Normal password	
		Connection Security: SSL/TLS	
	Account Actions *	Cancel	ОК

10. *Replace* **"zimbra.anl.gov"** with **"smtp.anl.gov"**. *Replace* Port: **"465"** with Port: **"587"** and change "Connection security" from **"SSL/TLS"** to **"STARTTLS"**.

Description:	smtp.anl	.gov	
Server Name:	smtp.anl	.gov	
Port:	587	Default: 587	
ecurity and A	Authentic	ation	
ecurity and A Connection se	Authentic curity:	ation STARTTLS	ŧ
ecurity and A Connection se Authentication	Authentic curity: n method:	STARTTLS	\$
ecurity and A Connection se Authentication User Name:	Authentic curity: n method:	STARTTLS Normal password migtest05@anl.gov	;

11. In the **"User Name"** field enter your ANL Domain username (i.e. The account information you use to access the Inside Argonne Portal). This may be different than the current login information you have configured. Enter the account information in the format user@anl.gov

Description:			
Server Name:	smtp.an	l.gov	
Port:	587	Default: 465	
Connection se	curity		

12. *Click* **"OK"** and you should be returned to this screen. *Click* **"OK"** again.

 Local Folders Junk Settings Disk Space 	When Outgo Defau	managing your ider bing Server (SMTP), o lt Server".	ntities you can use a s or you can use the def	erver from this list by sel fault server from this list b	ecting it as the by selecting "Use
 migtest01@anl.gov Server Settings Copies & Folders Composition & A Junk Settings Synchronization Return Receipts 	nigt dddressing & Storage	est01@anl.gov – sm	tp.anl.gov (Default)		Add Edit Remove Set Default
Security		Description:	<not specified=""></not>		
Outgoing Server (SI	Auth C	Server Name: Port: User Name: entication method: onnection Security:	smtp.anl.gov 587 migtest01@anl.gov Normal password SSL/TLS		
Account Actio	ns 🔻				
				Cancel	ОК

13. Close Thunderbird and re-open it. If prompted to enter your password, do so. Remember, this is your ANL domain user account and password. The password may fail the first time. Click "retry" and the password should go through properly.

?	Mail Server Password Required Enter your password for migtest05@anl.gov@mail.anl.gov:
	 ✓ Use Password Manager to remember this password. Cancel

14. Your **"Email"** should now show your **"anl.gov"** address. Click on this address, then choose "manage folder subscriptions in the "Advanced Features" section.



15. Highlight the folders you want Thunderbird to synchronize with (Hold the Shift Key while you clikc on them to select multiples). Click "Subscribe" to subscribe to these folders.

Show items that contain:		
Select the folders to subscribe to:		
Sent Items	× ·	Subscribe
Sent Messages	× ·	Unsubscribe
Tasks	× 1	
ToDos mbox (MCS Zimbra)		Refresh
Trash	i	Stop

16. Thunderbird will now resynchronize with your Exchange Mailbox. It may take some time for all your messages and folders to appear. In the meantime, you can access all your mail using the Outlook Web App at http://mail.anl.gov.